

BPMS 6.08l now available!

BPMS version 6.08l

Date Updated: August 29, 2010

[Fix Error on “SQL Server Business Object Update Required” dialog box](#)

This update fixes an error that would occur on the dialog box “SQL Server Business Object Update Required” if the “cc” txt box was empty.

BPMS version 6.08k

Date Updated: August 1, 2010

[New Merge Fields Added to “Test Due Letter” and “Test Report” docs](#)

The “WaterPurveyor” mail merge field was added to letters of type “Test Due Letter”. In addition, the following fields were added to the “Test Report” forms:

WaterPurveyor
ProtectionMethod (“Protection Type” on Installed Devices form)
WaterUsage
ActiveInstall (Active” check box on Installed Devices form)

BPMS version 6.08j

Date Updated: July 28, 2010

[Fix Problem Updating “Default Hazard Level” in Hazard Type Code Table](#)

This update fixed a problem in the “Hazard Type” code definition table where the “Default Hazard Level” column could not be set.

BPMS version 6.08i

Date Updated: July 15, 2010

[Skip Custom Validation for Fields Not Visible or Disabled](#)

This update fixed a problem where if a field had custom validation defined, the validation will be skipped if the field is disabled or not visible.

BPMS version 6.08h

Date Updated: July 12, 2010

[Fix Problems adding a New Test from the Tests form](#)

This update fixed a problem when adding a new test from the Tests form where upon selecting a

record in the Search Results window then clicking on the NEW TEST button, a blank record was added instead of the device selected.

Steps to reproduce the problem in version earlier older than 6.08h: 1) Go to TESTS form. 2) Click NEW button then click SHOW ALL. 3) Click once on a row of data with a Serial No then click the NEW TEST button. A blank record should be added.

BPMS version 6.08g

Date Updated: July 08, 2010

[Fix Problems with Custom Validation for some forms](#)

This update fixed problems with custom validation (e.g. mandatory fields) for the following forms: Facilities, Backflow Devices and Surveys/Inspections.

BPMS version 6.08f

Date Updated: June 18, 2010

[Fix Problem Missing Tester Name in Tester Certification Mail Merge Letters](#)

This update fixes a problem in Tester Certification letters. Prior to this update, the Mail Merge field ATTN didn't always have a value.

BPMS version 6.08e

Date Updated: June 09, 2010

[Fix BPMS Software Update problem for users with SQL Server](#)

This update resolves a problem that could prevent users with SQL Server from successfully updating to a newer version of BPMS. The problem was introduced in version 6.08a.

BPMS version 6.08d

Date Updated: May 26, 2010

[Fix Error Converting from version 5 to version 6](#)

This update resolves a problem that could cause an error during the conversion from version 5 to version 6. The problem was introduced in version 6.08a.

BPMS version 6.08c

Date Updated: May 8, 2010

[Error #13 'Type Mismatch' for Users with SQL Server](#)

This update fixes a problem that could cause Error #13 "Type Mismatch" to occur for users with SQL Server. The problem was introduced in version 6.08a.

BPMS version 6.08b

Date Updated: April 25, 2010

[Error Converting from version 5 to version 6](#)

This update fixes a problem that occurred while populating new Tester Company records during the conversion from version 5 to version 6. All new records were set to 'Inactive' instead of 'Active'

BPMS version 6.08a

Date Updated: April 18, 2010

[BPMS Software Updates now easier for users with SQL Server](#)

After a BPMS Software update, BPMS should now automatically detect that users are using SQL Server and automatically connect to the SQL Server database or bring up the Login dialog box. In earlier versions, after a software update, users had to go to the CUSTOMIZE | FILE LOCATIONS then reset the Database Type to "SQL Server".

[Test Form - Fix Problem where Company Name was not always populated](#)

This update fixes a problem on the Tests form where the Company Name was not always populated upon selecting a Tester. Also, eliminate duplicate Tester Name that could occur if a tester had more than one test kit.

BPMS version 6.07v

Date Updated: March 24, 2010

[Blank values on Previous Letter Dates in Survey Letters](#)

This update fixed a problem in Survey Letters where mail merge fields indicating when previous letters were sent were sometimes blank. This affected mail merge fields prefixed DATELETTR...

[Recreate Letter](#)

This update fixed a problem in Survey Letters where mail merge fields indicating when previous letters were sent were sometimes blank.

BPMS version 6.07u

Date Updated: March 20, 2010

[Fixed Problem Linking an Existing Facility to a Customer](#)

This update fixed a problem that could occur linking a customer to an existing facility using the NEW FACILITY button on the Customers form (Facilities/Devices tab). If this was the only

customer for the selected facility, the customer would be a primary contact but the link between Customer and Facility was not created properly. As a result, users were unable to add new devices to the facility.

BPMS version 6.07t

Date Updated: March 5, 2010

Fixed Problems with some reports for SQL Server Users

This updated fixed problems with the following reports for users using BPMS with a SQL Server database:

- 1) High Hazard Facilities or Systems
- 2) List of Facilities by Hazard Level with Facility/Hazard Type
- 3) Monthly Test Summary
- 4) State of Washington Part 3B: CCC for High Hazard Premises or Systems
- 5) State of Washington Part 4A: Backflow Preventer Inventory and Testing Data
- 6) Year to Date Test Summary

Fixed Error Importing USC List of Approved Devices for SQL Server Users

This updated fixes a problem importing the list of approved devices from USC for users using BPMS with a SQL Server database. The error following error would appear after clicking on the Import button: "Error #3622 You must use the dbSeeChanges option with OpenRecordset when accessing a SQL Server table that has an identity column."

BPMS version 6.07s

Date Updated: February 22, 2010

Improved Performance for Test Letters for SQL Server

This update is to speed up the preparation of Test Letters for users using BPMS with a SQL Server database.

BPMS version 6.07q

Date Updated: February 6, 2010

Modified By and Date/Time now updated when Preparing Test Letters

When preparing test letters, upon choosing Yes when prompted if letters were printed successfully, the following field will be updated on the "Comments/Pending Letters" tab of the Backflow Devices form: Modified By, Date Modified, Time Modified.

Fix Problem with Devices Due on Survey Letters

This fixes the problem with the list of Devices Due showing incorrect devices on the Survey Letters.

Fix Problem Converting from version 6 Beta to version 6

One of our customers, the City of North Ridgeville had a problem converting to BPMS 6 Admin from a BPMS 6 Admin beta version. This update fixes that problem.

BPMS version 6.07n

Date Updated: January 27, 2010

Fix Problem Importing USC List of Approved Devices

In 2010, the USC List provided in Excel format was changed. Some columns were moved and a new column was added. This could cause the "Import List of Approved Devices" feature on the Approved Devices form was to return an error when Importing the USC List of approved devices. This update fixes that problem.

BPMS version 6.07n

Date Updated: February 1, 2010

On Facilities form, the DELETE CUST button Prompts to Delete Customer

On the Facilities form, when the user click on the DELETE CUST button and confirming the deletion of the customer, if the customer does not have any other facility, BPMS will now prompt the user to delete the customer.

BPMS version 6.07l

Date Updated: January 27, 2010

Fix Problem Importing USC List of Approved Devices

In 2010, the USC List provided in Excel format was changed. Some columns were moved and a new column was added. This could cause the "Import List of Approved Devices" feature on the Approved Devices form was to return an error when Importing the USC List of approved devices. This update fixes that problem.

Added New Mail Merge Field for Water Purveyor Information

Two new fields from the Water Purveyor table are now available as mail merge fields in Test Letters and Test Report forms. The field are "Address Block" and "Comments".

BPMS version 6.07k

Date Updated: January 10, 2010

Added New Mail Merge Field for "Unit No"

The "Unit No" on the Facilities form is now available as a mail merge field in Test Letters and Test Report forms.

Added New Mail Merge Field for Water Purveyor Information

Two new fields from the Water Purveyor table are now available as mail merge fields in Test Letters and Test Report forms. The fields are "Address Block" and "Comments".

BPMS version 6.07j

Date Updated: December 20, 2009

Added Utility to Look for Orphan Records

This utility looks for records with orphan records in the BPMS back-end database. This utility should be run before upsizing a BPMS database to SQL Server. To access the utility, from the Switchboard click on the Utilities button, then click "Data Integrity Checks" then click "Look for Orphan Records".

BPMS version 6.07i

Date Updated: December 15, 2009

Added Utility to Validate Dates (for SQL Server Upsizing)

This utility looks for records with out of bound dates in any table in the BPMS back-end database. Those dates are then displayed on a list that you can use to fix dates on the fly or export to Microsoft Excel to deal with later. This utility should be run before upsizing a BPMS database to SQL Server. To access the utility, from the Switchboard click on the Utilities button, then click "Data Integrity Checks" then click "Check Dates".

BPMS version 6.07f

Date Updated: November 20, 2009

Fixed Problem with Tester Letters

This update fixes a problem with test letter letters. The error occurred only if the letter option Letter is Dependent on a field was set to "Yes".

BPMS version 6.07a

Date Updated: October 7, 2009

Fixed Problems searching by Contact Name on Customer form

This update fixes an error that would occur when using the Search form on the Customers toolbar. The error would occur when searching for a Contact Name, upon click on the drop down arrow in the value column.

BPMS version 6.06z

Date Updated: October 2, 2009

[Fixed Problems with on Tests form for a Replacement \(SQL Server\)](#)

This update fixes an error that would occur on the Tests form when using BPMS with a SQL Server back-end if the Test Type was set to "Replacement". The error would occur after clicking OK on the Replacement Details dialog box.

BPMS version 6.06y

Date Updated: September 27, 2009

[Fixed Problems with Report "Summary of Letters Sent"](#)

This update fixes some issues with the report "Summary of Letters Sent". First, it fixes an error counting the number of letters sent that could occur for letters of type "Survey Letters" and "Grease Control Letter". Also, now if the same letter is prepared several times in one day, all the letters sent in a given day are now grouped together. In addition, the Print Options dialog box has an option to print only the total number of letters sent for a given letter for the period.

BPMS version 6.06x

Date Updated: September 24, 2009

[Fixed Error Calculating "Next Test Due Date" on Tests form](#)

This update fixes a problem that could occur when BPMS calculates the "Next Test Due" date on the Tests form. Upon entering the Test Date, if the custom option "Default next test day" (on the Test tab of Customize form) was set to "<Same as last test day>", the next test day should have been the same as the day of the last date.

BPMS version 6.06w

Date Updated: September 23, 2009

[Fix Error #3044 After Installing BPMS Update](#)

This update fixes Error #3044 that could occur after installing a BPMS Update, though the error was harmless and the update would continue normally.

BPMS version 6.06v

Date Updated: September 13, 2009

[Add PropertyID Mail Merge field](#)

A Property ID field was added as a search field in the Test Due Letter and Test Report form.

Fixed Error Using Test Report Forms with Repair Letters

This update has a fix for “error #4190 Bad File Name” that occurred when preparing a test report form for a letter of type “Repair Letter”.

BPMS version 6.06u

Date Updated: August 26, 2009

Speed Up Search for SQL Server Users

New views were created on the SQL Server database to speed up searches.

BPMS version 6.06r

Date Updated: August 3, 2009

Fix Error Adding New Tester Record with SQL Server

Fix error adding new tester record when using BPMS with a SQL Server database.

BPMS version 6.06q

Date Updated: July 19, 2009

Testers Form - Error #3075 Upon Entering Tester Certification (SQL Server)

When using BPMS with a SQL Server database an error would occur in the Testers form after entering a value the “Certification No” field. The error occurred only when adding a new record.

Error #3073 Operation must use an updatable query (SQL Server)

When using BPMS with a SQL Server database the following error message could occur after upsizing to SQL Server: “Error #3073 Operation must use an updateable query” during the operation “*Setting Default Values for new fields...*”

BPMS version 6.06p

Date Updated: July 6, 2009

Fix Company Name not Displaying Properly in Tester Search Results

This update fixes a problem where the Company Name would not display properly in the Tester Search Results form.

BPMS version 6.06o

Date Updated: July 3, 2009

Fix problems in Reminder

This update fixes a problem with items displayed in the Reminder. The problem fixed was for a letter group with only one letter. Those letters would not appear in Reminder when the first (and only) letter expired.

BPMS version 6.06n

Date Updated: July 1, 2009

Fix problems with Test form for Western Australia

This update fixes problems specific to the custom for created for Western Australia.

BPMS version 6.06n

Date Updated: June 29, 2009

Fix problem Preparing Repair Letter from Test Form

This update fixes a problem that would occur when a test fails and the user chooses to prepare a Repair Letter right away. Instead of preparing a "Repair Letter", it was preparing a "Test Due Letter 1".

BPMS version 6.06l

Date Updated: June 26, 2009

Fix Error Filtering Record for Reports prefixed "List of Installs"

This update fixes a problem that could occur running reports prefixed "List of Installs". The error would occur only if the option New Filter was selected. Upon specifying a filter then clicking on the OK button this error message would appear "Error #2424 the expression you entered has a field, control or property name that BPMS can't find."

BPMS version 6.06k

Date Updated: June 19, 2009

Fix Error with ReadOnly Account

This update fixes a problem that occurred for users running BPMS with the ReadOnly user account.

BPMS version 6.06j

Date Updated: June 15, 2009

Fix for Error where Fourth Test Letter are populating Date Stamps

This update fixes a problem when preparing Test Letter #4. The Date Stamps for the fourth letter would not get populated upon confirming that letters were printed successfully. Date Stamps for *Test Letters* are on the “Installed Devices” form, on the “Comments/Pending Letters” tab.

BPMS version 6.06i

Date Updated: June 9, 2009

[Error Importing List of Certified Testers from BCWWA](#)

This update applies to users of the province of British Columbia only. This update fixes an error that would occur when importing the list of BCWWA certified testers. The error would indicate the “TesterPostalCode field name is unknown”. In addition, the list of testers would be left empty.

BPMS version 6.06h

Date Updated: Apr, 2009

[Fix for Error #2427 when clicking “New Device” button in Customers form](#)

This update is a fix for “Error #2427 You entered an expression that has no value” which could occur in the *Customers* form upon clicking on the *New Device* button. The error would occur only if a customer had no facility.